


NEW ARRIVAL -2024

www.agamero.com





Aluminum Solar Road Stud

Anti-UV PC+Aluminum





Waterproof IP68



Lighting time 100h after fully charged



Working temperature -20°C ∼+80°C



1.2V/600MAH Hi-temperature Ni-mh battery

Aluminum Solar Road Stud

Anti-UV PC+Aluminum





Waterproof IP68



Lighting time 100h after fully charged




Working temperature -20°C∼+80°C



1.2V/600MAH Hi-temperature Ni-mh battery

Product Analysis




High quality mono-crystalline

Monocrystalline silicon solar panels have high conversion rate, neatly arranged machine sublayers, and high charging efficiency

Multiple LED light combinations

The product utilizes sunlight and uses LED as the light source, which is energy-saving and easy to install



Anti-corrosion cast aluminum housing

Water and oil resistance corrosion resistance, bright colors, reasonable shape, beautify urban roads

Underground Solar Road Stud

Protection level IP68, can work under water Material anti-UV PC and aluminum case










Working temperature -20°C∼+80°C





Lighting at night






Solar Traffic Warning Light



Need no more external power supply and install circuit on the road.





Protect level IP55



Work time 200h after fully charged



Work temperature -20°C~+70°C



Battery 12V/7AH Lead acid battery

Cast Aluminum Housing

Water and oil resistance, corrosion resistance, bright colors, reasonable shape, beautify urban roads



Solar Pedestrianisation Sign



Protect level IP55



Lighting time 200h after fully charged




Working temperature -20°C∼+80°C



Storage 7.4V/5AH Lithium battery

Super Bright LED Lamp Beads

The colors are distinct, and the flashing effect acts as a warning and reminder



Sprinkler Arrow Indicator Light

The highlighted warning effect is good

Low power consumption

Long LED lifespan





Contact Us: Connect@agamero.com

